

Part TATAMI BED : QUEEN, E.KING, DOUBLE, C.KING



Hardware:





JCBC 6x70 = 1 pc JRN 6x13 = 3 pc






Wooden Dowel 10 x 45 : 16 pc



 $L Key 6 \times 70 = 1$

Assembling Instruction TATAMI BED: QUEEN, E.KING, DOUBLE, C.KING, SINGLE



Tatami Bed Assembling Instruction

- **Step 1.** Lay out each of the Legs in position (see Diagram 1 for reference). Measuring each distance with the Short Rail and Long Rail pieces.
- Step 2. Place the Short Rails into the Legs, with the flat side of the Short Rail facing inward toward the center of the frame.
- **Step 3.** Connect the Center Support Beam with the Middle Leg using 2 Wooden Dowels, 1 JCBC 6x70, 1 JRN 6x13 using the L Key (Allen Wrench).
- Step 4. Connect the Center Support Beam to the Short Rails, each side will require 2 Wooden Dowels, 1 JCBC 6x60 + 1 JRN 6x13, using the L Key. NOTE: Do not tighten all the way.
- Step 5. Place the Long Rails over the Short Rail slots and onto the Legs (Diagram 2), make sure the angle position is 90 degrees. Adjust the fitting by maneuvering the Leg from the bottom to prevent damaging the rails.
- Step 6. Place all the Wooden Dowels pieces into each of the placement holes along the Long Rails and Center Support Beam.
- Step 7. Place the Slat(s) on to the frame using the raised Wooden Dowel pieces as guide for layout (Diagram 3).
- Step 8. Place the Cross Beam in the middle position using the 2 Wooden Dowels at the center of the Long Rails, over the straps of the Slat(s).
- Step 9. Tighten the bolts in the Center Support Beam using the L Key. Use Diagram 4 as reference for the completed frame. Lay your Tatami Mat(s) on top of the Slats of your new Tatami Bed and enjoy!